CONTENTS

Preface xv

Methods and Techniques in Humus Chemistry

Possible origin of aliphatic moieties in humic substances
E.W. Tegelaar (Delft and Utrecht, The Netherlands), J.W. de Leeuw (Delft, The Netherlands) and C. Saiz-Jimenez (Sevilla, Spain) 1

Pyrolysis-soft ionization mass spectrometry of aliphatics extracted from a soil clay and humic substances
M. Schnitzer (Ottawa, Canada) and H.-R. Schulten (Wiesbaden, F.R.G.) 19

Selective preservation of biomolecules during humification of forest litter studied by pyrolysis-field ionization mass spectrometry
R. Hempfling and H.-R. Schulten (Wiesbaden, F.R.G.) 31

Structural studies of marine and riverine humic matter by chemical degradation
W. Michaelis, H.H. Richnow and A. Jenisch (Hamburg, F.R.G.) 41

Compounds released from humic acids upon BF_3-MeOH transesterification
G. Almendros and J. Sanz (Madrid, Spain) 51

Isolation of humin by liquid-liquid partitioning
J. Rice (Brookings, SD, U.S.A.) and P. MacCarthy (Golden, CO, U.S.A.) 61

PY-GC-MS analysis of organic matter in suspended material and deposits of the submarine delta of the Rhone River (France)
A. Puigbo (Barcelona, Spain), F. Gadel (Perpignan, France), J.M. Alcaniz (Bellaterra, Spain) and L. Comellas (Barcelona, Spain) 71

Effects of some mineral matrices on flash pyrolysis-GC of soil humic substances
J. Alcaniz, J. Romera (Bellaterra, Spain), L. Comellas, R. Munne and A. Puigbo (Barcelona, Spain) 81

Characterization of synthetic carbohydrate-derived humic-like polymers
G. Almendros, J. Sanz and I. Sobrados (Madrid, Spain) 91

Bomb-carbon, ^{14}C-dating and ^{13}C-measurements as tracers of organic matter dynamics as well as of morphogenetic and turbation processes
H.W. Scharpenseel, P. Becker-Heidmann (Hamburg, F.R.G.), H.U. Neue (Los Banos, Philippines) and K. Tsutsuki (Nagoya, Japan) 99

Preliminary characterization of soil organic matter extracted by electro-ultrafiltration
S.A. Bufo, M.D.R. Pizzigallo, F. Matteucci and L. Scrano (Bari, Italy) 111

Fourier transform infrared studies of coal humic acids
J.V. Ibarra (Zaragoza, Spain) 121

Concentration and pH effects on the fluorescence spectra of humic acid-like soil fungal polymers
M.R. Provenzano (Bari, Italy), T.M. Miano (Potenza, Italy) and N. Senesi (Bari, Italy) 129

Major and trace elements in standard and reference samples of aquatic humic substances determined by instrumental neutron activation analysis (INAA)
G. Riise (Oslo, Norway) and B. Salbu (Aas, Norway) 137

Spectroscopic and compositional comparative characterization of I.H.S.S. reference and standard fulvic and humic acids of various origin
N. Senesi (Bari, Italy), T.M. Miano (Potenza, Italy), M.R. Provenzano and G. Brunetti (Bari, Italy) 143

Nuclear Magnetic Resonance Studies

The quantitative analysis of solution- and CPMAS-C-13 NMR spectra of humic material
R. Frund and H.-D. Ludemann (Regensburg, F.R.G.) 157

Characterization of alkyl carbon in forest soils by CPMAS ^{13}C NMR spectroscopy and dipolar dephasing
I. Kogel-Knabner (Bayreuth, F.R.G.) and P.G. Hatcher (Reston, VA, U.S.A.) 169

Changes in aromaticity and carbon distribution of soil organic matter due to pedogenesis
W. Zech, L. Haumaier and I. Kogel-Knabner (Bayreuth, F.R.G.) ... 179

Structural differences between humic fractions from different soil types as determined by FT-IR and 13 C-NMR studies
R. Frund, H.-D. Ludemann (Regensburg, F.R.G.), F.J. Gonzalez-Vila (Sevilla, Spain), G. Almendros (Madrid, Spain), J.C. del Rio and F. Martin (Sevilla, Spain) 187

^{13}C-NMR investigation of humic and fulvic acids obtained from some typical Japanese soils
A. Watanabe, K. Tsutsuki and S. Kuwatsuka (Nagoya, Japan) 195

Chemical properties and solid-state CPMAS ^{13}C-NMR of composted organic matter
Y. Chen, Y. Inbar, Y. Hadar (Rehovot, Israel) and R.L. Malcolm (Arvada, CO, U.S.A.) 201

Application of inept nitrogen-15 and silicon-29 nuclear magnetic resonance spectrometry to derivatized fulvic acids
K.A. Thorn, D.W. Folan (Denver, CO, U.S.A.), J.B. Arterburn (Tucson, AZ, U.S.A.), M.A. Mikita (Bakersfield, CA, U.S.A.) and P. MacCarthy (Golden, CO, U.S.A.) 209

Water Chlorination By-products

Chemistry of mutagenic by-products of water chlorination
L. Kronberg (Turku/Abo, Finland) and R.F. Christman (Chapel Hill, NC, U.S.A.) 219

Formation of chlorinated PAH - a possible health hazard from water chlorination
S. Johnsen, I.S. Gribbestad (Trondheim, Norway) and S. Johansen (Oslo, Norway) 231

Naturally produced adsorbable organic halogens (AOX) in humic substances from soil and water
G. Asplund, A. Grimvall and C. Pettersson (Linkoping, Sweden) .. 239

Anion exchange as a potential method for removal of humus in drinking water treatment
D. Hongve (Oslo, Norway) 249

The trace analysis of volatile chlorination byproducts of aquatic humic substances: THMs in treated water
L. Gonzalez, M. Lorenzo and L. Valdes (Havana, Cuba) 257

Humic substance removal through surface water potabilization processes
L.A. Fernandez, M. Bataller, R. Perez, L. Gonzalez, J. Molerio, M. Gomez, C. Alvarez and M. Lorenzo (Havana, Cuba) 271

Aquatic and Sedimentary Humic Substances

Volatile compounds associated with aquatic humic substances
G. Becher, M. Froshaug and E.T. Gjessing (Oslo, Norway) 279

Properties of fulvic acids from deep groundwaters
C. Pettersson, I. Arsenie, J. Ephraim, H. Boren and B. Allard (Linkoping, Sweden) 287

Factors affecting the variation in the average molecular weight of dissolved organic carbon in freshwaters
H.E. Evans (Toronto, Canada), R.D. Evans and S.M. Lingard (Peterborough, Canada) 297

Comparison of molecular weight distribution and acid/base properties between the IHSS Nordic fulvic acid and whole water humic substances
D. Hongve, G. Akesson and G. Becher (Oslo, Norway) 307

Relationships of fluorescence and AOU in three North Pacific water samples
K. Hayase, H. Tsubota and I. Sunada (Hiroshima, Japan) 315

Adsorption of humic substances from seawater at differently charged surfaces
B. Raspor (Zagreb, Yugoslavia) 319

Analysis of humic and lignin compounds in the northern Baltic Sea
I. Makinen and E.-L. Poutanen (Helsinki, Finland) 329

Humic substances in holocene sediments of the Skagerrak (NE North Sea) and the Elbe River
G. Fengler, E.T.K. Haupt and G. Liebezeit (Hamburg, F.R.G) 335

Humic-like substances from landfill leachates - characterization and comparison with terrestrial and aquatic humic substances
M. Weis, G. Abbt-Braun and F.H. Frimmel (Karlsruhe, F.R.G.) 343

Sources and characteristics of fulvic and humic acids from a salt marsh estuary
J.J. Alberts (Sapelo Island, GA, U.S.A.) and Z. Filip (Langen, F.R.G.) 353

Humic substances in a catena of estuarine soils: distribution of organic nitrogen and carbon
S.J. Gonzalez Prieto, M.A. Lista, M. Carballas and T. Carballas (Santiago de Compostela, Spain) 363

Retention of organic compounds in a humic acid from lignite
J.C. del Rio, F.J. Gonzalez-Vila and F. Martin (Sevilla, Spain) 373

Soil Humic Substances

Dynamics of soil organic matter formation in croplands - conceptual analysis
Y.P. Hsieh (Tallahassee, FL, U.S.A.) 381

Humic acids properties of an Argiudoll soil under two tillage systems
R.A. Rosell, A.E. Andriulo (Bahia Blanca, Argentina), M. Schnitzer (Ottawa, Canada), M.B. Crespo and A.M. Miglierina (Bahia Blanca, Argentina) 391

Micromorphological, wet-chemical and ^{13}C NMR spectroscopic characterization of density fractionated forest soils
G. Beudert, I. Kogel-Knabner and W. Zech (Bayreuth, F.R.G.) 401

Lipids of soil humic acids. I. The hymatomelanic acid fraction
J.O. Grimalt (Barcelona, Spain) and C. Saiz-Jimenez (Sevilla, Spain) 409

Lipids of soil humic acids. II. Residual components after hymatomelanic acid extraction
J.O. Grimalt (Barcelona, Spain), B. Hermosin, I. Yruela and C. Saiz-Jimenez (Sevilla, Spain) 421

Chemical and spectral analysis of organic P forms in acid high organic matter soils in Galicia (N.W. Spain)
Mª.C. Trasar-Cepeda, F. Gil-Sotres (Santiago de Compostela, Spain), W. Zech and H.G. Alt (Bayreuth, F.R.G.) 429

Degradation and stabilization of the humus in buried humic ando soils
K. Tsutsuki and S. Kuwatsuka (Nagoya, Japan) 437

Gel permeation chromatography of water-soluble organic matter with deionized water as eluent. II. Spectroscopic and chemical characterization of fractions obtained from an aqueous litter extract
G. Guggenberger, I. Kogel-Knabner, L. Haumaier and W. Zech (Bayreuth, F.R.G.) 447

Nitrogen in Finnish agricultural soil and it's humic acid compared to two Canadian soils
M. Saharinen (Joensuu, Finland) and M. Schnitzer (Ottawa, Canada) 459

Incorporation of a nitrogen fertilizer in the humified compounds of a typic hapludalf
F. Jacquin and P.C. Vong (Vandoeuvre-les-Nancy, France) 465

Molecular size distribution of soil humic substances with ionic strength
B. Ceccanti, M. Calcinai (Pisa, Italy), M. Bonmati-Pont (Barcelona, Spain), C. Ciardi and R. Tarsitano (Pisa, Italy) ... 471

Changes in soil organic matter characteristics due to reforestation with Eucalyptus globulus, in Portugal
M.A.V. Madeira (Lisbon, Portugal), F. Andreux and J.M. Portal (Vandoeuvre-les-Nancy, France) 481

Evidence of conformational changes in fulvic acids from dialysis
M.T.S.D. Vasconcelos, A.P.L.M.G. Santos and A.A.S.C. Machado (Porto, Portugal) 489

Abiotic ring cleavage of pyrogallol and the associated reactions as catalyzed by a natural soil
M.C. Wang and P.M. Huang (Saskatoon, Canada) 501

Humic substances from a petroleum-polluted tropical soil
S.M. Griffith, R. Ram and N. Ahmad (St. Augustine, Trinidad and Tobago) 511

Composted Materials

Composted materials as organic fertilizers
N. Senesi (Bari, Italy) 521

Chemical and physico-chemical characterization of vermicomposts and their humic acid fractions
L. Hervas, C. Mazuelos (Sevilla, Spain), N. Senesi (Bari, Italy) and C. Saiz-Jimenez (Sevilla, Spain) 543

Study of the lipidic and humic fractions from organic wastes before and after the composting process
C. Garcia, T. Hernandez, F. Costa (Murcia, Spain) and J.C. del Rio (Sevilla, Spain) 551

The effect of organic materials and their humified fractions on the formation and stabilization of soil aggregates
C. Fortun, A. Fortun and G. Almendros (Madrid, Spain) 561

An analysis of some wheat straw humification factors and their bearing on the response to compost of soil and plant
G. Almendros (Madrid, Spain) 569

Study of soluble humic substances from newly prepared organic fertilizers
J. Cegarra, C. Frutos, A. Tercero, A. Roig and A. de Godos (Murcia, Spain) 579

Effect of the application of a municipal refuse compost on the physical and chemical properties of a soil
S. Hernando, M.C. Lobo and A. Polo (Madrid, Spain) 589

Reactivity and Biological Effects of Humic Substances

Metal-fulvic acid complexing: evidence supporting an aliphatic carboxylate mode of coordination
J.E. Gregor, H.K.J. Powell and R.M. Town (Christchurch, New Zealand) 597

Reactivity of added humic substances towards plant available heavy metals in soils
A. Piccolo (Firenze, Italy) 607

A combination of acid-base titrations and derivatization for functional group determinations of an aquatic fulvic acid
J.H. Ephraim, H. Boren, I. Arsenie, C. Pettersson and B. Allard (Linkoping, Sweden) 615

The binding of cadmium by an aquatic fulvic acid: a comparison of ultrafiltration with ion-exchange distribution and ion-selective electrode techniques
J.H. Ephraim and H. Xu (Linkoping, Sweden) 625

Investigation of the interactions between humic substances and a cationic detergent (cetiltrimethylammonium bromide)
M. de Nobili, M. Contin and L. Leita (Udine, Italy) 635

The role of humus status of soils in binding toxic elements and compounds
L. Hargitai (Budapest, Hungary) 643

Effects of fulvic acid on the adsorption of Cd(II) on alumina
H. Xu, J. Ephraim, A. Ledin and B. Allard (Linkoping, Sweden) .. 653

Effects of growing plants on humus and plant residue decomposition in soil; uptake of decomposition products by plants
K. Haider, O. Heinemeyer (Braunschweig, F.R.G.) and A.R. Mosier (Fort Collins, CO, U.S.A.) 661

Plant growth regulator activity of small molecular size humic fractions
A. Albuzio (Padova, Italy), S. Nardi (Calabria, Italy) and A. Gulli (Padova, Italy) 671

Effect of actinomycete metabolites on ion absorption by rice seedlings
S. Nardi (Calabria, Italy), G. Arnoldi and G. Dell'Agnola (Padua, Italy) 675

Zinc absorption and transport from complete humate and high and medium molecular weight fractions
J.P. Mirave (Balcarce, Argentina) and G.A. Orioli (Bahia Blanca, Argentina) 679

Bioavailability of aluminium in the presence of humic substances at low and moderate pH
E.T. Gjessing, G. Riise (Oslo, Norway), R.C. Petersen (Lund, Sweden) and E. Andruchow (Oslo, Norway) 683

Influence of natural aquatic humic substances on the bioavailability of benzo(a)pyrene to Atlantic salmon
S. Johnsen (Trondheim, Norway), J. Kukkonen (Joenssuu, Finland) and M. Grande (Oslo, Norway) 691

Effect of aquatic humus on uptake of zinc and barium to alga selenastrum capricornutum
J. Sedlacek (Praha, Czechoslovakia), E. Gjessing and T. Kallqvist (Oslo, Norway) 703

Influence of different aquatic humus fractions on uptake of cadmium to alga Selenastrum capricornutum Printz
J. Sedlacek (Praha, Czechoslovakia), E.T. Gjessing and T. Kallqvist (Oslo, Norway) 711

Author Index 719

Subject Index 721